

Application No. 09/702,505
Amendment "E" dated September 16, 2004
Reply to Office Action mailed July 23, 2004

AMENDMENTS TO THE CLAIMS

The listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) In a system including a display device for displaying an image, the image having a plurality of sources, a method for compositing the image, the method comprising the acts of:

dividing the image into slices, each slice including at least one line;

dividing each line in each slice into at least one span, wherein each span has at least one associated source included in the plurality of sources and each ~~line~~ span in each slice has the same at least one associated source;

for each span in each line, reading data directly from the associated source without reading the data as part of a composite image from a buffer;

identifying portions of the image that are opaque and portions of the image that are translucent;

for each portion of the image that is translucent, reading, blending and displaying the data from the sources corresponding to the translucent portion;

for each portion of the image that is opaque, reading only from the sources that correspond to the opaque portion and that would be visible within the opaque portion during display of the image, and without reading data from any sources that would otherwise be obscured in the opaque portion during display of the image.

2. (Original) A method as defined in claim 1, wherein the act of reading data from the associated source further comprises the step of loading each associated source in memory.

3. (Original) A method as defined in claim 1, further comprising the act of creating a control structure having context information for the image.

Application No. 09/702,505
Amendment "E" dated September 16, 2004
Reply to Office Action mailed July 23, 2004

4. (Original) A method as defined in claim 3, wherein the control structure comprises:

- an image header;
- one or more slice headers associated with the image header;
- one or more span headers associated with each slice header; and
- one or more stream headers associated with each span header.

5. (Original) A method as defined in claim 3, wherein the act of reading data further comprises the act of reading contiguous pixel data for each span from each associated source.

6. (Previously Presented) A method as defined in claim 1, wherein the blending comprises blending data from more than two sources.

7. (Previously Presented) A method as defined in claim 1, wherein the act of blending the sources further comprises the acts of:

- blending, in a first blend unit, each of two or more sources having a first color space;

- blending, in a second blend unit, each of two or more sources having a second color space;

- converting an output of the first blend unit to the second color space; and

- blending the converted output of the first blend unit with a second output of the second blend unit to produce a blended output.

8. (Cancelled)

9. (Original) A method as defined in claim 1, wherein the act of reading data further comprises the act of filtering a span using vertically adjacent spans.

Application No. 09/702,505
Amendment "E" dated September 16, 2004
Reply to Office Action mailed July 23, 2004

Claims 10. – 20. (Cancelled).

21. (Previously Presented) In a system that composites images from one or more sources for display on a display device, a method for blending data streams from the one or more sources, the method comprising the acts of:

receiving data streams at a blending module, each of the data streams having a color space;

directing the data streams having the same color space to blending units of the blending module, each blending unit having an associated color space;

blending, by each blending unit, the data streams having the color space that is the same as the associated color space of the blending unit to produce outputs;

converting the outputs to a single color space; and

blending the outputs to produce an image data stream.

22. (Previously Presented) A method as defined in claim 21, wherein the single color space is one of RGB and YUV.

23. (Previously Presented) A method as defined in claim 21, further comprising the act of reading the image data directly from the one or more sources to the display device, and without reading the image data from a double image buffer.

24. (Original) A method as defined in claim 21, wherein the act of receiving the data streams further comprises the act of offsetting the data streams.

25. (Previously Presented) A method as defined in claim 24 wherein the act of offsetting the data streams further comprises the act of centering the data streams around zero by removing an offset that was added to the data stream during prior encoding of the data stream.

Application No. 09/702,505
Amendment "E" dated September 16, 2004
Reply to Office Action mailed July 23, 2004

26. (Previously Presented) A method as defined in claim 21, wherein the act of blending, by each of the blending units, further comprises the act of zeroing the data streams received at the blending units whose color space is different from the associated color space of the blending units, such that the data streams having the different color space are not blended by the blending units.

27. (Original) A method as defined in claim 21, wherein the act of directing the data streams further comprises the act of multiplying the data streams by an alpha factor.

28. (Previously Presented) A method as recited in claim 1, wherein each of the portions of the image comprise a different span, such that the opaque portion comprises a span and such that the translucent portion comprises a different span.